



Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.



# SECTION 1: Identification

1.1. Identification

Product form Product name Mixture Weezel Wiz

### 1.2. Recommended use and restrictions on use

Use of the substance/mixture

Penetrating Oil/Lubricant

### 1.3. Supplier

Manufacturer Weezel Industries, Inc. 101 Hart Rd. Warren, Maine 04864 T 1-800-701-4765 (9am - 5pm)

### 1.4. Emergency telephone number

Emergency number

ChemTel Chemical Expert Assistance Hotline 1-800-255-3924

# SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

### **GHS US classification**

Flam. Aerosol 1 Press. Gas (Comp.) Acute Tox. 4 (Inhalation:dust,mist) Eye Irrit. 2A Skin Sens. 1 Asp. Tox. 1

### 2.2. GHS Label elements, including precautionary statements

This product is a consumer product and is labeled in accordance with the US Consumer Product Safety Commission regulations which take precedence over OSHA Hazard Communication labeling. The actual container label will not include the label elements below. The labeling below applies to industrial/professional products.

### GHS US labeling

Hazard pictograms (GHS US)

Signal word (GHS US)	: Danger	
Hazard statements (GHS US)	: Extremely flammable aerosol Contains gas under pressure; may explode if heated May be fatal if swallowed and enters airways May cause an allergic skin reaction Causes serious eye irritation Harmful if inhaled	
Precautionary statements (GHS US)	<ul> <li>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>Do not spray on an open flame or other ignition source.</li> <li>Do not pierce or burn, even after use.</li> <li>Avoid breathing dust/fume/gas/mist/vapors/spray.</li> <li>Wash hands, forearms and face thoroughly after handling.</li> <li>Use only outdoors or in a well-ventilated area.</li> <li>Contaminated work clothing must not be allowed out of the workplace</li> <li>Wear protective gloves/protective clothing/eye protection/face protection.</li> </ul>	
03/22/2019	EN (English US)	







If swallowed: Immediately call a poison center or doctor Do NOT induce vomiting. If on skin: Wash with plenty of water Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing Call a poison center or doctor if you feel unwell If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention.

- Store locked up.
- Protect from sunlight. Store in a well-ventilated place.
- Do not expose to temperatures exceeding 50 °C/122 °F.
- Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3. Other hazards which do not result in classification

May displace oxygen and cause rapid suffocation.

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

# SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%
Acetone	(CAS-No.) 67-64-1	5-50
Lubricating oils, petroleum, C20-50, hydrotreated neutral oil-based	(CAS-No.) 72623-87-1	10-40
Lubricating oils, petroleum, C15-30, hydrotreated neutral oil-based	(CAS-No.) 72623-86-0	7-30
C.I. Solvent Yellow 33	(CAS-No.) 8003-22-3	< 1

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

# SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable f breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	IF ON SKIN: Wash with plenty of Water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth a drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.
4.2. Most important symptoms and effective states and effective symptometry and effective sympto	ffects (acute and delayed)
Symptoms/effects after inhalation	: Harmful if inhaled. May cause irritation to the respiratory tract.
Symptoms/effects after skin contact	: May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause an allergic skin reaction.
Symptoms/effects after eye contact	<ul> <li>Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking an tear production, with marked redness and swelling of the conjunctiva.</li> </ul>

03/22/2019









WEEZEL INDUSTRIES, INC.

Symptoms/effects after ingestion

May be fatal if swallowed and enters airways. May cause gastrointestinal irritation, nausea, vomiting and diarrhea. May result in aspiration into the lungs, causing chemical pneumonia.

4.3. Immediate medical attention and special treatment, if necessary

Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

# SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing	j media	
Suitable extinguishing media	Alcohol resistant foam. Carbon dioxide. Dry chemical. Water or foam may cause frothing liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire.	
Unsuitable extinguishing media	Do not direct a stream of water into the hot burning liquid.	
5.2. Specific hazards arising from the chem	2. Specific hazards arising from the chemical	
Fire hazard	Extremely flammable aerosol. Products of combustion may include and are not limited to: oxides of carbon.	
Explosion hazard	Heat may build pressure, rupturing closed containers, spreading fire and increasing risk o burns and injuries.	
5.3. Special protective equipment and precautions for fire-fighters		
Firefighting instructions	Cool closed containers exposed to fire with water spray.	
Protection during firefighting	Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).	

# SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

6.1.	Personal precautions, protective equip	ment and emergency procedures
Genera	I measures	Use personal protection recommended in Section 8. Isolate the hazard area and deny entry unnecessary and unprotected personnel. Eliminate every possible source of ignition. Use or non-sparking tools. Use special care to avoid static electric charges.
6.1.1.	For non-emergency personnel	
No add	itional information available	
6.1.2.	For emergency responders	
No add	itional information available	
6.2.	Environmental precautions	
Preven	t entry to sewers and public waters.	
6.3.	Methods and material for containment	and cleaning up
For con	tainment	Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitabl container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).
Method	s for cleaning up	Sweep or shovel spills into appropriate container for disposal. Provide ventilation.
6.4.	Reference to other sections	

For further information refer to section 8: "Exposure controls/personal protection"

# SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

Hazardous waste due to potential risk of explosion.





### Safety Data Sheet

WEEZEL INDUSTRIES, INC.

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Precautions for safe handling

Avoid contact with skin, eyes and clothing. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Do not spray on an open flame or other ignition source. Use only outdoors or in a wellventilated area. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use. Handling this product may result in electrostatic accumulation. Use proper grounding procedures. Use non-sparking tools. Wear protective clothing

Hygiene m	neasures	Wash contaminated clothing before reuse. Always wash hands after handling the product.
7.2. (	2. Conditions for safe storage, including any incompatibilities	
Storage conditions		Keep out of the reach of children. Do not expose to temperatures exceeding 50 °C/ 122 °F. Keep in fireproof place. Store away from direct sunlight or other heat sources. Store in a we ventilated place. Store locked up. Keep cool

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

 Lubricating oils, petroleum, C20-50, hydrotreated neutral oil-based (72623-87-1)

 Not applicable

 Lubricating oils, petroleum, C15-30, hydrotreated neutral oil-based (72623-86-0)

 Not applicable

 Acetone (67-64-1)

Acetone (67-64-1)	
ACGIH	ACGIH TWA (ppm)
ACGIH	ACGIH STEL (ppm)
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )
OSHA	OSHA PEL (TWA) (ppm)
IDLH	US IDLH (ppm)
NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )
NIOSH	NIOSH REL (TWA) (ppm)
C.I. Solvent Yellow 33 (8003-22-3)	
Net applicable	

Not applicable

8.2. Appropriate engineering controls	
---------------------------------------	--

Appropriate engineering controls Environmental exposure controls Ensure good ventilation of the work station. Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

### Hand protection:

Where use can result in skin contact, practice good personal hygiene and wear impervious gloves.

### Eye protection:

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133.

### Skin and body protection:

Long sleeved protective clothing







### **Respiratory protection:**

Respiratory protection may be required to avoid overexposure when handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms.

### Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

# SECTION 9: Physical and chemical properties

9.1. Information on basic physical and ch	emical properties
Physical state	: Liquid
Appearance	: Aerosol
Color	: Yellow
Odor	: Mild petroleum odour
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

### 9.2. Other information

No additional information available

# SECTION 10: Stability and reactivity

### 10.1. Reactivity

No dangerous reactions known under normal conditions of use.

### 10.2. Chemical stability

Stable under normal conditions. Extremely flammable aerosol. Contents under pressure. Container may explode if heated. Do not puncture. Do not burn.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. 03/22/2019







10.4. Conditions to avoid

Heat. Sparks. Open flame. Direct sunlight.

10.5. Incompatible materials

Strong oxidizing agent. Strong reducing agents. Strong bases. Peroxides. Halogenated compounds. Alkali metals. Amines.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon. Formaldehyde. Methanol

# SECTION 11: Toxicological information

11.1.	Information on toxicological effects	
Acute to	xicity (oral)	: Not classified
Acute to	xicity (dermal)	: Not classified
Acute to	xicity (inhalation)	: Harmful if inhaled.

Weezel Wiz		
ATE US (dust, mist)		4.36 mg/l/4h
Lubricating oils, petroleum, C20-50, hydrotr	eated neutral oil-based (72623-87-1)	
LD50 oral rat		> 5000 mg/kg
LD50 dermal rabbit		> 2000 mg/kg
LC50 inhalation rat		2.18 mg/l/4h
Lubricating oils, petroleum, C15-30, hydrotr	eated neutral oil-based (72623-86-0)	
LD50 oral rat		> 5000 mg/kg
LD50 dermal rabbit		> 2000 mg/kg
LC50 inhalation rat		2.18 mg/l/4h
Acetone (67-64-1)		
LD50 oral rat		5800 mg/kg
LD50 dermal rabbit		> 15700 mg/kg
LC50 inhalation rat		50100 mg/m <sup>3</sup> (Exposure time: 8 h)
C.I. Solvent Yellow 33 (8003-22-3)		
LD50 oral rat		> 5 g/kg
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
C.I. Solvent Yellow 33 (8003-22-3)		
National Toxicology Program (NTP) Status		Evidence of Carcinogenicity
Reproductive toxicity	: Not classified	
Specific target organ toxicity – single exposure	: Not classified	
Specific target organ toxicity – repeated	: Not classified	

exposure	
Aspiration hazard	: May be fatal if swallowed and enters airways.
Symptoms/effects after inhalation	: Harmful if inhaled. May cause irritation to the respiratory tract.
Symptoms/effects after skin contact	<ul> <li>May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause an allergic skin reaction.</li> </ul>

: Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and

tear production, with marked redness and swelling of the conjunctiva.

Symptoms/effects after eye contact

03/22/2019









Symptoms/effects after ingestion

: May be fatal if swallowed and enters airways. May cause gastrointestinal irritation, nausea, vomiting and diarrhea. May result in aspiration into the lungs, causing chemical pneumonia.

Other information

# : Likely routes of exposure: ingestion, inhalation, skin and eye.

# SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general

: May cause long-term adverse effects in the aquatic environment.

Lubricating oils, petroleum, C20-50, hydrotrea	ated neutral oil-based (72623-87-1)	
LC50 fish 1		> 5000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
EC50 Daphnia 1		> 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Lubricating oils, petroleum, C15-30, hydrotrea	ated neutral oil-based (72623-86-0)	
LC50 fish 1		> 5000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
EC50 Daphnia 1		> 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Acetone (67-64-1)		
LC50 fish 1		4.74 - 6.33 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
EC50 Daphnia 1		10294 - 17704 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
LC50 fish 2		6210 - 8120 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 2		12600 - 12700 mg/l (Exposure time: 48 h - Species: Daphnia magna)
12.2. Persistence and degradability		
Weezel Wiz		
Persistence and degradability		Not established.
12.3. Bioaccumulative potential		
Weezel Wiz		
Bioaccumulative potential		Not established.
Acetone (67-64-1)		
BCF fish 1		0.69
Partition coefficient n-octanol/water		-0.24
12.4. Mobility in soil		
No additional information available		
12.5. Other adverse effects		
Other information	: No other effects known.	

# SECTION 13: Disposal considerations

13.1. E	Disposal methods		
Product/Pa	ckaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Container under pressure. Do not drill or burn even after use.	
Additional i	information	: Flammable vapors may accumulate in the container.	





Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.



.

# SECTION 14: Transport information

### **Department of Transportation (DOT)**

In accordance with DOT UN-No.(DOT) Proper Shipping Name (DOT) Class (DOT) Hazard labels (DOT)

### Transport by sea

Transport document description (IMDG) UN-No. (IMDG) Proper Shipping Name (IMDG) Class (IMDG)

### Air transport

Transport document description (IATA) UN-No. (IATA) Proper Shipping Name (IATA) Class (IATA)

NOTE: Weezel Industries does not test aerosol cans to assure that they meet the pressure and other requirements for transport by air. We do not recommend that our aerosol products be transported by air.

# SECTION 15: Regulatory information

### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

### 15.2. International regulations

No additional information available

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

# SECTION 16: Other information Date of issue : 03/22/2019 Revision date : 03/22/2019 Other information : None. Prepared by : Nexreg Compliance Inc.

SDS US (GHS HazCom 2012)\_NEXREG\_NEW

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

www.Nexreg.com